

Original Article

The use of *Gymnema sylvestre* in the treatment of diabetes: The available evidence and expert opinion

Aamir Al-Mosawi

Advisor doctor and expert trainer,
The National Center of Training and Development
and Baghdad Medical City
Baghdad, Iraq
Email:
almosawiAJ@yahoo.com

Abstract:- Health supplements have been increasingly used in the prevention and treatment of a diversity of chronic disorders including diabetes. Diabetes has been increasing regarded as an emerging global health problem, and there has been a tendency for therapeutic studies pertaining to diabetes to focus on supplements from natural sources. Research findings have been increasing suggesting the usefulness of several supplements including fenugreek, cinnamon, and lipoic acid in the management of diabetes.

During the previous decades, *Gymnema sylvestre* have been reported to have beneficial effects in diabetes. This paper reviews the available evidence supporting the use of berberine in diabetes with the aim of providing expert opinion.

Expert opinion: The available evidence suggests that *Gymnema sylvestre* has hypoglycemic and lipid lowering effects. However, the available evidence research also suggests the usefulness of several other supplements including fenugreek, cinnamon, and lipoic acid in the management of diabetes. Therefore, the choice of diabetic supplement depends to some extent on the availability and cost. It seems that *Gymnema sylvestre* is the most available and cost effective diabetic supplement in India, however, it is not in other counties in the world including Iraq.

Keywords: Diabetic supplements, *Gymnema sylvestre*, expert opinion.

Corresponding Author: Aamir Al-Mosawi, Advisor doctor and expert trainer,
The National Center of Training and Development and Baghdad Medical City
Baghdad, Iraq

Copyright : © 2024 The Authors. Published by Publisher. This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction:

Health supplements have been increasingly used in the prevention and treatment of a diversity of chronic disorders including diabetes. Diabetes has been increasing regarded as an emerging global

health problem, and there has been a tendency for therapeutic studies pertaining to diabetes to focus on supplements from natural sources. Research findings have been increasing suggesting the usefulness of several supplements including fenugreek, cinnamon, and lipoic acid in the management of diabetes [1, 2, 3].

As early as 1990, Shanmugasundaram et al from India suggested the use of the leaf extract of *Gymnema sylvestre* to control hyperglycemia in insulin-dependent diabetes.

They reported a study which included 27 patients who had insulin-dependent diabetes mellitus. They were treated with the leaf extract of *Gymnema sylvestre* in a dose of 400 mg daily. Treatment was associated a decrease in insulin requirement and lowering of fasting blood sugar, glycosylated hemoglobin and glycosylated plasma protein levels. In addition, treatment was associated with improvement in lipids profile. Control patients who didn't receive *Gymnema sylvestre* didn't show similar changes [4].

In 1990, Baskaran et al from India reported a study which included twenty-two patients with diabetes type 2 whom were treated with oral anti-diabetics. The patients received the leaf extract of *Gymnema sylvestre* in a dose of 400 mg daily 18-20 months. Treatment was associated a decrease in oral anti-diabetics doses, and lowering of fasting blood sugar, glycosylated hemoglobin and glycosylated plasma protein levels.

Five of the twenty-two patients discontinued oral anti-diabetic medications, and maintained satisfactory diabetic control. The improvement was associated with increased insulin level which was attributed to possible beta cells regeneration [5].

In 2010, Al-Romaiyan et al from the United Kingdom reported a study which included patients with diabetes type 2 whom were treated with leaf extract of *Gymnema sylvestre* in a dose of 1000 mg daily for two months. Treatment was associated with marked lowering of fasting and post-prandial blood glucose, and considerable elevation in circulating insulin and C-peptide.

Al-Romaiyan et al also reported that in vitro study isolated human islets of Langerhans showed direct stimulatory effects of *Gymnema sylvestre* leaf extract on insulin secretion from human pancreatic β -cells [6].

In 2010, Kumar et al from India reported a study which included patients with diabetes type 2 whom were treated with *Gymnema sylvestre* 500 mg daily for three months. Treatment was associated with lowering of fasting and post-prandial blood sugar and glycosylated hemoglobin in association with improvement in fatigue, polyphagia, and lipids profile [7].

In 2021, Devangan et al from India conducted a systematic review and meta-analytic study which included 10 studies and 419 patients who had diabetes type 2. This study showed that *Gymnema sylvestre* treatment was associated with marked lowering of fasting blood sugar ($P < .0001$), postprandial blood sugar ($P < .0001$), and glycosylated hemoglobin ($P < .0001$). Treatment also markedly lowered blood triglycerides ($P < .0001$), and cholesterol ($P < .0001$) [8].

In 2022, Krawczyk et al from Poland conducted a systematic review and a meta-analytic study which included 23 research papers studying the anti-diabetic effects of oral plant extracts in animals. Krawczyk et al reported that *Gymnema montanum*, *Momordica charantia* and *Moringa oleifera* showed anti-diabetic effects in vivo and in vitro studies. The anti-diabetic effects included lowering of fasting blood sugar, increasing insulin release, reducing insulin resistance. The anti-diabetic effect of *Gymnema montanum* was comparable to glibenclamide revealed the superiority of extracts over drug

administration in some aspects [9].

Expert opinion

The available evidence suggests that *Gymnema sylvestre* has hypoglycemic and lipid lowering effects. However, the available evidence research also suggests the usefulness of several other supplements including fenugreek, cinnamon, and lipoic acid in the management of diabetes. Therefore, the choice of diabetic supplement depends to some extent on the availability and cost. It seems that *Gymnema sylvestre* is the most available and cost effective diabetic supplement in India, however, it is not in other countries in the world including Iraq.

Conflict of interest: None.

References

- 1-Al-Mosawi AJ. The Use of Fenugreek Supplementation in Diabetes. Scientific Research Journal of Clinical and Medical Sciences (p-ISSN: 2788-8843, e-ISSN: 2788-8 851) 2021; 1(1): 9-13. Doi: 10.5281/zenodo.5170255.
- 2-Al-Mosawi AJ. The use of cinnamon supplementation in diabetes: Research evidence and expert opinion. Journal of Clinical Trails and Bioavailability Research (e-ISSN: 2836-5836) 2022; 1(1): 1-4. Doi: 10.584 89/JCTBR.004.
- 3-Al-Mosawi AJ. The use of alpha-lipoic acid supplementation in diabetes: The available Evidence. Journal of Clinical Trails and Bioavailability Research (e-ISSN: 2836-5836). Dec 28, 2022; 1(1): 1-6. Doi: 10.58489/JCTBR.003.
- 4-Shanmugasundaram ER, Rajeswari G, Baskaran K, Rajesh Kumar BR, Radha Shanmugasundaram K, Kizar Ahmath B. Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. J Ethnopharmacol 1990 Oct; 30(3):281-94. Doi: 10.1016/0378-8741(90)90107-5.
- 5-Baskaran K, Kizar Ahamath B, Radha Shanmugasundaram K, Shanmugasundaram ER. Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. J Ethnopharmacol 1990 Oct; 30(3):295-300. Doi: 10.1016/ 038-8741(90)90108-6.
- 6-Al-Romaiyan A, Liu B, Asare-Anane H, Maity CR, Chatterjee SK, Koley N, Biswas T, Chatterji AK, Huang GC, Amiel SA, Persaud SJ, Jones PM. A novel *Gymnema sylvestre* extract stimulates insulin secretion from human islets in vivo and in vitro. Phytother Res 2010 Sep; 24(9):1370-6. Doi: 10.1002/ptr.3125.
- 7-Kumar SN, Mani UV, Mani I. An open label study on the supplementation of *Gymnema sylvestre* in type 2 diabetics. J Diet Suppl 2010 Sep; 7(3):273-82. Doi: 10.31 09/19390211.2010.505901.
- 8-Devangan S, Varghese B, Johnny E, Gurram S, Adela R. The effect of *Gymnema sylvestre* supplementation on glycemic control in type 2 diabetes patients: A systematic review and meta-analysis. Phytother Res 2021 Dec; 35(12):6802-6812. Doi: 10.1002/ptr. 7265.
- 9-Krawczyk M, Burzynska-Pedziwiatr I, Wozniak LA, Bukowiecka-Matusiak M. Evidence from a Systematic Review and Meta-Analysis Pointing to the Antidiabetic Effect of Polyphenol-Rich Plant Extracts from *Gymnema montanum*, *Momordica charantia* and *Moringa oleifera*. Curr Issues Mol Biol 2022 Jan 28; 44(2):699-717. Doi: 10.3390/cimb44020049.